

Tyvek Alt Microporous film Coverall



Basic Specifications

- Item code: #XYCVL073
- Material: Tyvek alternative microporous film
- Colors available: white
- Size available: Size M---3XL
- Style and design: with hood, elastic wrist, wasit back and ankles, zipper front
- Regular Pack: 1pc/one inner polybag+one printed sticker sterilized bag+ safety sheet, 25pcs/ctn, customized pack request available

Description of Product

Tyvek Alt Microporous film Coverall are made from breathable, comfortable, anti-bacterial and soft microporous film material which is commonly used in many working areas. The special design of this coat is guaranteed to offer protection without compromising comfort. It's with optimized body fit and increased range of movement.

Storage

Please stock the goods in dry environment and avoid direct sunlight. Please don't stock the goods in hot environment to temperature above 50°C and humid above 80%. To keep away from high frequency equipment. Generally the shelf life is 6 years. We suggest you use products within 3 years.

Instruction for use

Please read the instruction sheet before use.. To check the coverall and make sure there is no hole and defect. Open the zipper and put the arms and legs into the coverall, then close the zipper. Choose right coverall size to bring comfortable movement. Please don't re-use.

International care symbols:



Do not wash



Do not iron



Do not machine dry



Do not dry clean



Inflammable. This garment is expressly constructed as a protection against chemical hazards, and should not, under any circumstances, come into contact with naked flame, or be used in a combustible situation.

How to select the appropriate products

Firstly please make sure your purpose for use, then choose the right specification product which can bring you the most comforts and safety. If any doubt, please consult the supplier to get relevant information.

Product design



We supply different style coverall like with hood and boots, elastic cuffs and back etc. please contact our sales team for further information.

Features

- Good breathability
- Low thermal resistance
- Good mechanical strength
- Chemical partial protection
- Thermal resistance(EN31092:1994): M2.K/W-----Ret: 0.013
- Water vapour resistance(EN31092:1994): M2. Pa/W-----Ret:10.96



Suggested Application

- General hygiene and cleaning rules
- Pharmaceutical manufacturing
- Agriculture and veterinary services
- Industrial manufacturing and maintenance
- Laboratory and clean room